

CLIMEX® Electric Fan Heater 9

This CLIMEX® 9kW Electric Heater is a small and portable unit, designed to provide localised heating for medium sized work areas.

This fan heater is ideal for drying out or maintaining an ambient temperature. There's no need for fuel such as propane or diesel, making it the ideal solution if you have easy access to power on site.

It has a built-in thermostat which is advantageous when heating medium sized work areas.



Key Product Features

- ✓ Built-in thermostat
- ✓ Radial fan for extra heat throw
- ✓ 100% clean and dry heat
- ✓ Fixed outlet temperature approx. 40-100°C

Key Applications

- ✓ Heating of small areas
- ✓ Maintaining ambient temperatures
- ✓ Drying paint and plaster
- ✓ Space and spot heating

[Request Price](#)



CLIMEX®

CLIMEX® Electric Fan Heater 9

Technical Specifications

Heat output	9 kW
Heat output	31,000 (Btu/hr)
Adjustment range	0-4.5-9kW
Power supply	415V 3-phase 16A
Power supply	11.5-13 amps
Heated air flow	550 m ³ /h
Outlet cone Ø (mm)	120
Dim. heater only LxWxH (cm)	68x34x31
Weight (kg)	18
Hose connection	120

The Effective Drying Triangle

When used for drying, we recommend adopting RVT's Effective Drying Triangle, which incorporates warmth, air movement and dehumidification.

Warmth/ heat raises the room temperature and so lowers the relative humidity of the air. Air movement across a substrate draws the water to the surface, where it evaporates, and dehumidification extracts water from the air.

Speak to one of our consultants to learn more about effective drying-out programmes.

